Application No.: 10/537,320 Filing Date: June 2, 2005

AMENDMENTS TO THE CLAIMS

1-6. (Canceled)

7. (Currently amended) A method for inhibiting elongation of melanocytic dendrites comprising:

a step of applying a skin preparation for external use for inhibiting elongation of melanocytic dendrites, comprising, as an active ingredient, a dendrite elongation inhibitor for melanocytes consisting of a compound represented by the following general formula (1) and/or a salt thereof to the skin of an individual in need thereof, whereby elongation of melanocytic dendrites is inhibited:

$$R_1O$$
 OR_6 OR_6

formula (1)

and/or a salt thereof,

wherein R_1 , R_2 , R_3 , R_4 , R_5 , and R_6 each independently represent a hydrogen atom or a $C_{1.4}$ alkyl group.

Application No.: 10/537,320 Filing Date: June 2, 2005

8. (Previously presented) The method for inhibiting elongation of melanocytic dendrites according to claim 7, wherein the compound represented by the general formula (1) is Centaureidin indicated by the following formula.

9. (Currently amended) The method for inhibiting elongation of melanocytic dendrites according to claim 7 or 8, wherein the skin preparation for external use alleviates has dyschromatosis on which tyrosinase inhibitors have insufficient effect.

10-11. (Canceled)

12. (New) A method for inhibiting elongation of melanocytic dendrites comprising applying a skin preparation for external use comprising 0.005 to 5% by weight of a compound represented by the following general formula (1) and/or a salt thereof to an individual in need thereof, whereby elongation of melanocytic dendrites is inhibited:

formula (1)

Application No.: 10/537,320 Filing Date: June 2, 2005

wherein R_1 , R_2 , R_3 , R_4 , R_5 , and R_6 each independently represent a hydrogen atom or a C_{1-} 4 alkyl group.

13. (New) The method for inhibiting elongation of melanocytic dendrites according to claim 12, wherein the skin preparation for external use is a cosmetic.